



INTERMOUNTAIN POWER SERVICE CORPORATION  
850 West Brush Wellman Road  
Delta, UT 84624-9546

## **CATALOG LISTING OF SURPLUS EQUIPMENT**

For bid submittal, information, or to schedule a time to view  
items, contact: Matthew Kolste  
(435) 864-6538  
[matthew.kolste@ipsc.com](mailto:matthew.kolste@ipsc.com)

**BIDS NOT ACCEPTED  
AFTER JUNE 22, 2022**

## **TERMS AND CONDITIONS OF SALE**

**EXCEPT AS MAY BE PROVIDED FOR OR AGREED TO IN SEPARATE DOCUMENTS, THE PARTIES AGREE THAT THE FOLLOWING PROVISIONS SHALL APPLY TO ANY OFFER TO PURCHASE AND ANY RESULTING AGREEMENT OF SALE COVERING ANY ITEM(S) OF PROPERTY LISTED IN THIS CATALOG.**

**AWARD:** Seller, Intermountain Power Service Corporation (IPSC) reserves the right to reject any or all bids. Only the successful bidder will be notified of awards. SELLER shall notify successful bidder of bid awards within one (1) week of closing date.

**FAILURE TO PERFORM:** If for any reason whatsoever: (a) Buyer fails to make payment in full as required within fifteen (15) calendar days after notification of acceptance of bid; or (b) Buyer fails to completely remove any items from premises where sold within fifteen (15) calendar days of acceptance or such longer time as may be reasonably necessary in light of inherent difficulties in effecting such complete removal, then Buyer agrees that any agreement resulting from its offer shall automatically terminate, Buyer shall lose all of the right, title, and interest which it had or might otherwise have acquired in any items to which such failure relates, and all such right, title, and interest shall revert in SELLER. SELLER may retain all deposits or payments made with respect to such items as liquidated damages. In addition Buyer agrees to reimburse SELLER for all cost and expenses, including attorney fees, arising out of any failure by Buyer to perform hereunder.

**PAYMENT AND PASSAGE OF TITLE:** Title shall pass upon payment in full. Pending payment in full, SELLER retains a purchase money security interest in the property sold. Payment shall be made by certified check, cashier's check, or when approved, a credit memo to the SELLER upon receipt of notification of acceptance of bid, and before removing any of the items from the premises.

**TAXES:** Buyer agrees to pay all taxes now or hereafter imposed by law upon or on account of the sale, shipment, or use of any goods covered by this sale.

**DELIVERY AND REMOVAL OF PROPERTY:** Buyer shall remove the property at their expense within fifteen (15) working days after passage of title, unless otherwise agreed to by SELLER. Buyer shall be liable for any damage to property caused by removal operations.

**RISK OF LOSS:** Upon notice of SELLER'S acceptance of Buyer's bid, and prior to removal, all risk of loss, damage, or destruction from any cause whatsoever shall be borne by the Buyer, except for willful damage or destruction by the SELLER or its agents, in which event the only liability shall be to reduce the sale price applicable to the damaged goods.

**VARIATION IN QUANTITY RO WEIGHT:** Any variation in quantity or weight of any item between that listed on bid and that delivered will be adjusted on the basis of the unit price quoted for such item. No adjustment for variation will be made when property is sold on a "Price for the Lot" basis.

**WEIGHING:** SELLER reserves the right to witness weighing of materials on a certified public scale when material is sold on a per-pound basis.

All surplus items are sold on "AS IS/WHERE IS" basis.

Each bidder should fully inspect property prior to placing bids. Bidders must rely solely on their own inspection. SELLER makes no representations of any kind concerning any of the property for sale or sold.

**SELLER PROVIDES NO EXPRESS WARRANTIES, REPRESENTATIONS, AND/OR GUARANTEES AND DISCLAIMS ALL IMPLIED WARRANTIES, REPRESENTATIONS, AND/OR GUARANTEES AS TO THE TITLE, RIGHTS, QUALITY, QUANTITY, KIND, CHARACTER, WEIGHT, SIZE, SUITABILITY, FUNCTION, OR DESCRIPTION OF THE PROPERTY, ITS MERCHANTABILITY, OR ITS FITNESS FOR ANY USE OF PURPOSE.**

SELLER provides no indemnity of any kind whatsoever and is to be held harmless from any claim that may arise from the removal, handling, use, disposal, or transfer of property purchased.

This Bid Solicitation Form supersedes all prior or contemporaneous documents and is the controlling document concerning the rights and liabilities of the parties to the referenced bid with the exception of those situations that require the Equipment Disposal Form (Referenced in Cover Letter, paragraphs 4 and 5).

**INSURANCE:** Buyer shall not move, load, transport, or otherwise handle the Equipment on SELLER'S premises without first having obtained such insurance as may be required by SELLER and until certificates confirming such coverages have been furnished to and approved by SELLER. Insurance requirements will be determined at the time of sale. See paragraph 4 in Cover Letter.

**By signing this form, bidder acknowledges they have read, understand, and agree with all of the above Terms and Conditions of Sale.**

(PRINT INFORMATION BELOW)

COMPANY/INDIVIDUAL: \_\_\_\_\_








ADDRESS: \_\_\_\_\_ CITY: \_\_\_\_\_ STATE: \_\_\_\_\_ ZIP CODE: \_\_\_\_\_




TELEPHONE: \_\_\_\_\_ FAX: \_\_\_\_\_ TAX RESALE NO.: \_\_\_\_\_

(SIGN HERE)








BY: \_\_\_\_\_ DATE: \_\_\_\_\_







Picture	SR#	Item or Material Description	Quantity	Unit	Bid Per Unit
	3867	ALARM, TYPE TRIMMINGS, STANDARD, MODEL F-302, MFG PART NO. 52-346-1-102, MFG BY GRINNELL FIRE PROTECTION	1	EA	
	4084	BEARING,BALL, ID 2.1654 IN, OD 4.7244 IN, WD 1.1417 IN, ROW 1, STYLE OPEN, RADIAL CLEARANCE C3, TYPE DEEP GROOVE, MFG PART NO. 6311 C3, MFG BY SKF	1	EA	
	4082	BEARING,BALL, ID 2.7559 IN, OD 5.9055 IN, WD 1.378 IN, ROW 1, STYLE OPEN, TYPE ANGULAR CONTACT, MFG PART NO. 7314 BG, MFG BY SKF	6	EA	
	3862	BLADE,BAND SAW, SIZE WIDTH .500 X THICKNESS .032 X 250' ROLL, TPI 10, MFG PART NO. 310-037005, MFG BY DOALL	2	EA	
	3968	BREAKER,CIRCUIT, VOLTAGE 480 VAC, POLES 3, AMPS 10, TYPE MOLDED CASE, MFG PART NO. CD3-A3-AB, MFG BY HEINEMANN	2	EA	
	4108	BOARD,PRINTED CIRCUIT, FUNCTION MOTHER BOARD, MFG PART NO. KF1665024DS, MFG BY KING FISHER	1	EA	

	4075	BOLT, DIA 3/4", LG 4 1/4", MATERIAL ALLOY, TYPE COUPLING, TYPE 3/4 X 4 1/4, ZINC NUT AND COTTER PIN, MFG PART NO. 550197-093 MFG. HAZELTON EA	16	EA	
	4046	CABINET, EMPTY INSTRUMENT CABINET, 3' WIDE X 5' TALL	1	EA	
	4044	CAMERA, NEWVICON WV-3160 VIDEO CAMERA AND CASE	1	EA	
	3879	CAP, PIPE, SIZE 3/4", CONNECTION TYPE WB, STD BEVEL, MATERIAL ASTM A234, GR WPB, SCH 40, MFG BY VARIOUS, MFG PART NO. -	19	EA	
	4045	CART	1	EA	
	3970	CARTRIDGE, TYPE CARTRIDGE, PLOTTER, HP 72, HIGH CAPACITY FOR HP DESIGNJET T1100PS EA, MATERIAL GRAY INK CARTRIDGE, MFG BY HP, MFG PART NO. C9374A	3	EA	
	4053	CASE, EMPTY METAL CASE	2	EA	

	3865	CHAIN, TYPE CONNECTING LINK, RC5, SIZE FOR 38 IN GRAVIMETRIC FEEDER MACHINE ON COAL FEEDERS, LG 9 FT, MFG BY B & W, MFG PART NO. 8804713	6	EA	
	3868	CLAPPER, TYPE VALVE, VERTICAL DELUGE ASSEMBLY, MODEL A-4, MULTIMATIC, FIRE PRTECTION, MFG PART NO. 92-404-1-011, MFG BY GRINNELL FIRE PROTECTION	1	EA	
	3954	CLEVIS, INSULATOR, TYPE MACHINED, MFG PART NO. 8005896, MFG BY B & W	4	EA	
	3980	COMPACTOR, TYPE GROUND, POWER REQUIREMENT 3.2 HP GASOLINE ENGINE, WITH 11" RAMMER, MFG BY WACKER, MFG PART NO. BS 60-4S	1	EA	
	4077	COVER, TYPE VAPOR, FOR HAZELTON PUMP M/N 5-BNL-VNB, S/N N19454-55-56, MFG PART NO. 575245-019, MFG BY HAZELTON	1	EA	
	3917-3921	DISC, VALVE, VALVE STYLE POPPET, SIZE 58 IN, MFG PART NO. D-J9203-C532-6 EA, MFG BY GEESI (2 EA) + SIZE 58 IN, MFG PART NO. D-J9203-C512-6 (2 EA) + SIZE 48 IN, MFG PART NO. D-J9203-C252-6 (1 EA) + SIZE 48 IN, MFG PART NO. D-J9203-C534-6 (1 EA) + SIZE 32 IN, MFG PART NO. D-J9203-C552-6 (1 EA)	1	LT	
	4104	DRILL PRESS, 3 PHASE	1	EA	










	3979	ELECTRODE, ARCALOY, 308/308H-16, 1/8"	1	EA	
	3978	ELECTRODE, ARCALOY, 309/309H-16 1/8"	7	EA	
	3981	ELECTRODE, ARCALOY, 316LF5-16 3/32"	3	EA	
	3977	ELECTRODE, TYPE ATOM ARC 7018, SIZE 3/16", MATERIAL CARBON STEEL, MFG BY ESAB, MFG PART NO. 255013112, 50 LB/CN ***NO SUB***	1	EA	
	4049	FAN, 6' TALL WITH 40" DIAMETER	1	EA	
	3843	FASTENER,BELT, TYPE FOR BELTS 3/16" X 7/16" THICK- 140EE BX, MFG PART NO. 697598, MFG BY FLEXCO	6	EA	
	3885	FEEDER, TYPE AUTOMATIC, MATERIAL GREASE, MFG BY LUBESITE, MFG PART NO. 202 EA	45	EA	








	4061	FENCING, BARBED WIRE FENCING WIRE, T-POSTS, STAYS, APPROXIMATELY 10,000 FEET OF COVERAGE	1	LT	
	4063	FENCING, CHAINLINK, 1 LOT OF CHAINLINK GATES AND FENCING MATERIALS; 1 6'X8' GATE AND 2 4.5'X8' GATES, EXTRA CHAIN LINK AND POLES	1	LT	
	4062	FENCING, ROLLS OF MESH WIRE FENCING (SOME RUST); 1-3' TALL, 2-4' TALL	3	RL	
	3886	FLANGE,PIPE, SIZE 3/4", MAX WORK PRESS 300#, TYPE THREADED, FACE PATTERN FF, MATERIAL ASTM A-182 F304SS, MFG PART NO. 3/4", EA	6	EA	
	3952	Foxnet Computer Gateway	1	EA	
	4094	GASKET,FLANGE NON-SPIRAL, ID 6.375 X 7.50 IN, OD 7.625 X 8.750 IN, THK .250 IN, SPECS ***NON ASBESTOS ONLY***, TYPE HAND HOLE, MFG PART NO. 01-013, MFG BY CHICAGO HEATER	4	EA	
	4070	HEATER, TYPE CHUTE, MAX WORK PRESS .6 KW, 480 V, 384 OHM, MFG PART NO. S3H1SE7, MFG BY COOPER HEAT	1	EA	








	3985	HOSE, HYDRAULIC, SIZE 1/4 IN, LG 10 FT, CONNECTION TYPE 3/8 IN MNPT BOTH ENDS, MAX WORK PRESS 10,000 PSI, STYLE COAL PULVERIZER, BABCOCK & WILCOX DWG 118336D, ITEM D, MATERIAL RUBBER, STEEL BRAID, MFG PART NO. H-9210, MFG BY ENERPAC	1	EA	
	4076	IMPELLER, PUMP, OD 13.8750 IN, MATERIAL CD4MCU, CONFIG CLOSED, MFG BY HAZELTON, MFG PART NO. 586375-087 EA	2	EA	
	3880	INSERT, PIPE, TYPE REDUCING, SIZE 2" X 1-1/2", CONNECTION TYPE SW, MAX WORK PRESS 3000#, MATERIAL ASTM A182, SS, GR F304, MFG BY VARIOUS, MFG PART NO. -	19	EA	
	3928	INSERT, PIPE, TYPE REDUCING, SIZE 3" X 2", CONNECTION TYPE SW, MAX WORK PRESS 3000#, MATERIAL ASTM A182, SS, GR F304, MFG BY VARIOUS, MFG PART NO. -	9	EA	
	4123	INSULATION; PACKAGE SAYS 133X65	5	EA	
	3790	LIGHT, CROUSE-HINDS PLL2/UNV1-S903 WIDE OPTICS POLYCARBONATE LENS LINEAR LED LUMINAIRE, 100 - 277 VAC, 108 - 250 VDC, 3600 LUMENS, COOL WHITE	8	EA	
	3789	LIGHT, CROUSE-HINDS PLL4/UNV1-S903 WIDE OPTICS POLYCARBONATE LENS LINEAR LED LUMINAIRE, 100 - 277 VAC, 108 - 250 VDC, 7100 LUMENS, COOL WHITE	11	EA	










	3796	LIGHT, PEND-HAZ-KIT CROUSE HINDS PENDANT MOUNT KIT	19	EA	
	3791	LIGHT, VENTURE LIGHTING PART NO. MPI 400W/BU/LU	108	EA	
	3788	LIGHT,LITHONIA ZL1F L48 4500LM MDD MVOLT 35K 80CRI WH 4FT LED STRIP LIGHT	32	EA	
	4106	MICROPHONE, MISC WIRELESS MICROPHONES, STANDS, AND RECEIVERS	1	LT	
	4051	MOTOR, 3 PHASE	2	EA	
	4080	NOZZLE, TYPE NOZZLE, SPRAY, FULJET, USED PULVERIZER REJECT SYSTEM, SIZE 3/8", MATERIAL BRASS, MFG BY SPRAYING SYSTEMS, MFG PART NO. 3/8 GD 9.5	17	EA	
	4081	NOZZLE, TYPE NOZZLE, SPRAY, PULVERIZER REJECT SYSTEM, SIZE 1/2", MATERIAL BRASS, MFG BY SPRAYING SYSTEMS, MFG PART NO. 1/2 G 29 SQ EA	1	EA	




	4078	NUT, LOCK, THREAD TYPE PER INCH 12, MATERIAL 316SS, MFG PART NO. 573253-016, MFG BY HAZELTON	1	EA	
	3932	NUT, TYPE SLEEVE, THREAD TYPE PER INCH 12", MFG PART NO. 3049A01500DA001-673, MFG BY INGERSOLL RAND	2	EA	
	4048	PIPE, PLASTIC CULVERT PIPE, USED; 20' LONG, 15" DIAMETER	4	EA	
	4064	PIPE, SPRINKLER, 1 LOT OF USED SPRINKLER PIPE; 3" DIAMETER, 40' LONG, APPROXIMATELY 70 PCS	1	LT	
	4120	PLYWOOD, USED SHEETS; 4X8 SHEETS, 3/4" THICK, APPROXIMATELY 100 SHEETS	1	LT	
	3882	REDUCER, SIZE 2" X 1/2", CONNECTION TYPE SOCKETWELD, MATERIAL ASTM A-105, 3000#, TYPE COUPLING, MFG PART NO. COUPLING	36	EA	
	3987	REDUCER, SIZE 2" X 1-1/4", CONNECTION TYPE 2" END BUTTWELD, 1-1/4" END THREADED, MATERIAL SCHEDULE 80, GALVANIZED, MFG PART NO. 2 X 1-1/4	28	EA	








	3884	REDUCER,PIPE, SIZE 3/4" X 1/2", CONNECTION TYPE SOCKETWELD, MAX WORK PRESS 3000#, MATERIAL ASTM A105, TYPE COUPLING, MFG BY VINSON SUPPLY COMPANY, MFG PART NO. COUPLING EA	45	EA	
	3872	REGULATOR, TYPE VACUUM, WALL MOUNT, CHLORINE, MFG PART NO. 806D190U06, MFG BY CAPITAL	1	EA	
	3876	RELAY, TYPE PROTECTIVE, ELECTRICAL RATING .2 AMP, CONTACT CONFIG PJC CONFIGURATION, MFG BY GENERAL ELECTRIC, MFG PART NO. 12PJC11A10	1	EA	
	4089	RING,WEAR, SIZE CASING, MODEL 3HQ165, SN 56-910358A, FRAME # 5, MFG BY WORTHINGTON, MFG PART NO. 7 EA	2	EA	
	3943	SAW, HYD-MECH MODEL S-20A HORIZONTAL BAND SAW	1	EA	
	3893	SECURITY CAMERA, PELCO DIGITAL VIDEO RECORDER, DX8016-500DVD	1	EA	
	3894	SECURITY CAMERA, PELCO CAMERA ES3012-5CLZ30N	1	EA	








	3895	SECURITY CAMERA, PELCO CAMERA ES5230-05N	3	EA	
	3896	SECURITY CAMERA, PELCO CAMERA ES40E36-5N	7	EA	
	4109	SENSOR, TYPE HVC-HUMIDITY EA, MFG PART NO. 020-0162, MFG BY LIEBERT	3	EA	
	4056	SHELVING; 7' TALL X 2 'WIDE	1	LT	
	4057	SHELVING; 6' TALL X 4.5' WIDE	1	LT	
	4067	SHELVING, TYPE BAR, HAU-LOAD, SHELF, SIZE 54 TO 60 IN, MFG PART NO. FB560, MFG BY HAUSERMAN; 1' WIDE AND ADJUSTABLE LENGTH OF 54" TO 60"	6	EA	
	4099	STAINLESS STEEL, 4'X12' SHEET OF 304 STAINLESS STEEL 14 GAUGE	1	EA	



	4101	STORAGE TANK, LARGE PLASTIC STORAGE TANK; 12.5' TALL AND 8.5' DIAMETER	1	EA	
	4103	STRUT, 90 DEGREE ANGLE STRUT; 12' LENGTHS, APPROXIMATELY 100 PCS	1	LT	
	3875	SWITCH,PUSHBUTTON, DESIGNATION KING FISHER FIRE PANEL, STYLE SPRING RETURN, CONFIG 1 NO, OPERATOR MOMENTARY, MFG PART NO. 10250T23B, MFG BY CUTLER-HAMMER	7	EA	
	4110	TABLE, METAL TABLE OR WORKSTATION; 4.5' WIDE X 9.5' LONG X 3.5' TALL	1	EA	
	3866	TANK, LARGE COMPRESSOR TANK; 6' TALL X 30" DIAMETER	1	EA	
	4112	TANK, AIR COMPRESSOR TANKS; 8' TALL X 30" DIAMETER	6	EA	
	4003	TEE,PIPE, SIZE 1-1/2" X 1-1/2" X 1/2", CONNECTION TYPE SW, MAX WORK PRESS 3000#, MATERIAL ASTM A105, TYPE REDUCING, MFG BY VARIOUS, MFG PART NO. -	25	EA	

	4068	TIRE, TYPE TRUCK, SIZE LT235/75R15, MFG BY GOODYEAR	3	EA	
	3835	TITROSAMPLER, METROHM 716 DMS ROBOTIC TITROSAMPLER, 730 SAMPLE CHANGER, CONTROLLER 716 SC.	1	EA	
	3957	TOOL, ATTACHMENT, MATERIAL STEEL, SIZE 39" DRIVER, TYPE BEARING INSTALLER, MFG BY IPSC, MFG PART NO. N/A	1	EA	
	3964	TOOL, BOARD, MFG BY LETOURNEAU, MFG PART NO. 201-9039, MATERIAL WOOD, SIZE 1 X 4 X 9 IN, TYPE OAK	2	EA	
	3965	TOOL, DRIVER, MFG BY IPSC, MFG PART NO. N/A, TYPE SEAL, WHEEL MOTOR	1	EA	
	3963	TOOL, PLATE, TYPE PUSH-PULL, MFG BY LETOURNEAU, MFG PART NO. 410-5780	2	EA	
	3959	TOOL, SET, TYPE ROD, CENTER HOLE, 18" X 1" 12 EA., MFG BY OTC, MFG PART NO. 32118	1	EA	

	3958	TOOL, SIZE MID-PINION, WITH DRIVER, TYPE CENTERING, MFG BY LETOURNEAU EA, MFG PART NO. 414-4660	1	EA	
	3960	TOOL, SOCKET,WRENCH, DR SOCKET END SZ 1 IN, MATERIAL STEEL, SIZE 1 1/4 IN, STYLE 12 POINT IMPACT, WELL DEPTH STANDARD, MFG BY LETOURNEAU, MFG PART NO. 408-6118	2	EA	
	3962	TOOL, TAP,THREADING, DIA 1", MATERIAL HIGH SPEED STEEL, TYPE LETOURNEAU D800, MFG BY LETOURNEAU EA, MFG PART NO. 404-7599	2	EA	
	3961	TOOL, TESTER, RANGE TEST BLOCK, SPECIAL TOOLS FOE D800 DOZER, TYPE CIRCUIT, MFG BY LETOURNEAU EA, MFG PART NO. 404-4678	2	EA	
	4058	TRAILER, 4' WIDE X 7' LONG	1	EA	
	4069	TRANSFORMER, PRI VOLTAGE 480 VAC, SECONDARY VOLTAGE 0/560 VAC, KVA 9.700, PH 3, HZ 60, MFG PART NO. 236BU-3, MFG BY SUPERIOR	1	EA	
	4054	TV, SYLVANIA 42"	1	EA	

	3887	VALVE, BUTTERFLY, 8.00". HAND OPERATOR	5	EA	
	3967	VALVE,CHECK, SIZE 1 1/2 IN, DESIGN RATING 200 PSI, CONNECTION TYPE THREADED, BODY MTL BRONZE, TYPE SWING	10	EA	
	3929	VALVE,GATE, SIZE 00.125" IN, DESIGN RATING 150 CLASS, CONNECTION TYPE FNPT, BODY MTL BRONZE, TYPE GLOBE, OPERATION MODE MANUAL, MFG BY WALWORTH, MFG PART NO. 0.125" GLOBE BRONZE EA	32	EA	
	4092	VALVE, TYPE OFFSET,, SIZE 3/4", STYLE STYLE #66, MFG BY JERGUSON, MFG PART NO. 66 EA	4	EA	
	3982	VALVE, GATE, TYPE PRESSURE SEAL, SIZE 4.00 IN, CLASS 1500, BODY A105, ENDS BUTT WELD, SCHEDULE 40, PARALLEL SLIDE SPLIT WEDGE, STELLITE SEALING SURFACES, ASME B16.34 RATING, WITH PNEUMATIC CYLINDER ACTUATOR, RAIMONDI MODEL 6113	1	EA	
	3837	WELD POSTITIONER	1	EA	
	4050	WHEELS, HEAVY DUTY CART WHEELS	7	EA	





4060

WOOD PLANKS; ASSORTED SIZES AND LENGTHS; 2X6, 2X10, 2X12, AND 1X6; EACH LOT IS BUNDLED, MOST BUNDLES HAVE AT LEAST 40 BOARDS, BUT SOME HAVE SEVERAL MORE

18

LT